

CBSE 11th PHYSICS
MOTION IN A PLANE**OBJECTIVE TYPE OF QUESTIONS (1 MARK):**

- 1) Position of a particle in a rectangular-co-ordinate system is (3, 2, 5). Then its position vector will be
 - a) $3\hat{i} + 5\hat{j} + 2\hat{k}$
 - b) $3\hat{i} + 2\hat{j} + 5\hat{k}$
 - c) $5\hat{i} + 3\hat{j} + 2\hat{k}$
 - d) None of these
- 2) If a particle moves from point P (2,3,5) to point Q (3,4,5). Its displacement vector be
 - a) $\hat{i} + \hat{j} + 10\hat{k}$
 - b) $\hat{i} + \hat{j} + 5\hat{k}$
 - c) $\hat{i} + \hat{j}$
 - d) $2\hat{i} + 4\hat{j} + 6\hat{k}$
- 3) The expression $\frac{1}{\sqrt{2}}\hat{i} + \frac{1}{\sqrt{2}}\hat{j}$ is a
 - a) Unit vector
 - b) Null vector
 - c) A vector of magnitude $\sqrt{2}$
 - d) Scalar
- 4) If for two vectors \vec{A} and \vec{B} , $\vec{A} \times \vec{B} = 0$, the vectors
 - a) Are perpendicular to each other
 - b) Are parallel to each other
 - c) Act at an angle of 60°
 - d) Act at an angle of 90°
- 5) A river is flowing from east to west at a speed of 5 m/min. A man on south bank of river, capable of swimming 10m/min in still water, wants to swim across the river in shortest time. He should swim
 - a) Due north
 - b) Due north east
 - c) Due north east with double the speed of river
 - d) None of these

- 6) A body is moving in a circular path with a constant speed. It has
- A constant velocity
 - A constant acceleration
 - An acceleration of constant magnitude
 - An acceleration which varies with time
- 7) A particle moves with constant speed but in constantly varying direction. The path of particle will be
- Elliptical
 - Linear
 - Circular
 - parabolic
- 8) A body travels along the circumference of a circle of radius 2 m with a linear velocity of 6 m/s. Then its angular velocity is
- 6 rad/s
 - 3 rad/s
 - 2 rad/s
 - 4 rad/s
- 9) A stone tied to a string is rotated in a circle. If the string is cut, the stone flies away from the circle because
- A centrifugal force acts on the stone
 - A centripetal force acts on the stone
 - Of its inertia
 - Reaction of the centripetal force
- 10) If $\vec{A} \cdot \vec{B} = AB$, then is the angle between A and B.
- 0°
 - 30°
 - 60°
 - 90°

VERY SHORT ANSWER TYPE OF QUESTIONS: (2 MARK)

- 11) Is uniform circular motion a case of uniform motion? Why?
- 12) What is the angular velocity of the hour hand of a clock?
- 13) Show that when the horizontal range is maximum, height attained by the body is one fourth the maximum range in the projectile motion.

SHORT ANSWER TYPE OF QUESTIONS (3 MARK):

- 14) Derive an expression for the time of flight and horizontal range of a projectile when launched at an angle θ with the horizontal.
- 15) Two forces 5 kgwt and 10 kgwt are acting with an inclination of 120° between them. What is the angle which the resultant makes with 10 kgwt?
- 16) Two bodies are projected at an angle Θ and $(\pi/2 - \Theta)$ to the horizontal with the same speed. Find the ratio of their time of flight.

LONG ANSWER TYPE OF QUESTIONS (5 MARK):

- 17) A ball is thrown with an initial velocity of 20 m/s at an angle of 30 degrees above the horizontal. Calculate:
 - a) The time taken for the ball to reach its maximum height.
 - b) The maximum height reached by the ball.
 - c) The horizontal range of the ball.
- 18) A cannonball is fired from a cannon at ground level. The cannonball follows a parabolic trajectory and hits a target located 500 meters away horizontally. The initial speed of the cannonball is 100 m/s. Determine:
 - a) The angle at which the cannonball was launched.
 - b) The maximum height reached by the cannonball.
 - c) The time taken for the cannonball to reach the target.
 - d) The velocity of the cannonball just before hitting the target.